

The trusted home of sheds, fencing & gates in Kent



CHART FENCING & SHEDS



Welcome to the Chart Fencing & Sheds brochure

We are proud to offer a large selection of garden fencing, sheds and much more.

We have sourced the very best fencing products available and offer these to you at very competitive prices, backed by an unrivalled level of customer service from the team at Chart Fencing.



To help identify the products that are manufactured in our Ashford workshop, we have introduced our identification logo. This will be displayed throughout our brochure.

We have the capacity to produce large quantities of our standard items and hold most in stock. Our experienced team are able to produce non-standard sizes and bespoke items to order. We use pressure treated sustainable timber for our fence panels and shed structures.

Ordering could not be easier, just call 01233 626188 and speak to our experts in fencing who will be able to help; or you can shop securely online at www.chartfencing.co.uk.







Prices are subject to change. Timber sizes quoted are sawn dimensions and will be smaller after planing. Metric measurements are approximate and must not be relied upon. We reserve the right to alter our specification without notice.

GARDEN FENCING

TIMBER FENCE PANELS	6-12
HAZEL HURDLES	13
CHESTNUT FENCING	14-16
CHESTNUT POST & RAIL	17
PALISADE FENCING	18-20
FEATHEREDGE FENCING	21-22
CONCRETE POSTS & GRAVEL BOARDS	23-24
TIMBER GATE POSTS	25
FENCE POST SUPPORTS	25
TIMBER POSTS & POST MIX CONCRETE	26
DECORATIVE POST TOPS	27
TRELLIS PANELS	28-30

GARDEN & DRIVEWAY GATES

GARDEN GATES	31-33
DRIVEWAY GATES	34-36
METAL FIELD GATES	37-38

STOCK FENCING

STOCK FENCING	39-42
POST & RAIL	43-44

SHEDS & ECO/ **OUTDOOR LIVING**

PERGOLA	45
OUTDOOR LIVING	46
GARDEN STORAGE	47
GARDEN SHEDS	48-51
POTTING SHED	51

CONSTRUCTION **MATERIALS**

CONSTRUCTION MATERIALS	52-54
SLEEPERS	55

DECKING & ACCESSORIES

DECKING	56
DECKING ACCESSORIES	57

IRONMONGERY

HINGES & GATE KITS	58-60
GATE FIXINGS	61-62
BRACKETS & CLIPS	63

FIXINGS & SUNDRIES

FIXINGS & SUNDRIES 64-65

CHART FENCING & SHEDS



Chart Fencing offer an installation service that is carried out by our expert installers, who have been carefully selected. They are extremely experienced.

A site visit is carried out to ensure we give an accurate estimate and a written estimate is given before any work is undertaken. We pride ourselves with the efficient and professional service our team at Chart Fencing provide.

Please call to arrange a site visit.



01233 626188



CHARTFENCING.CO.UK

(location dependant)

FREE SHIPPING OPTIONS ACROSS KENT*

*MINIMUM SPEND APPLIES

PRESSURE TREATED TIMBER

All our preservative-treatment processes are carried out under controlled conditions in modern industrial treatment plants within our treatment centre. The treatment process utilised depends upon the timber component and its end use. TANALITH E preservative has a unique copper and organic biocide (triazole) formulation allowing TANALITH E-treated timber to be used where special environmental concerns or restrictions exist, as well as the everyday construction, landscaping and engineering applications for which treated timber is renowned, eg. children's play areas.















- The tanalising process involves placing the timber within the treatment cylinder and creating an initial vacuum within timber cells.
- Hydraulic pressure is then applied forcing the preservative deep into the timber cells.
- After a pre-determined period of pressure, depending on the species of the timber being treated and its eventual use, the treatment solution is pumped back into storage.
- 4. A final vacuum extracts any excess treatment solution from the timber
- Low pressure inside the timber draws in surface solution when vented to the low atmosphere and the treated timber is left for a minimum of 48 hours for fixation of preservative to occur.

OUR GREEN CREDENTIALS

Chart Fencing strive to take on the challenge of supplying timber products while remaining conscious of our environmental responsibilities. The protection of our natural environment remains at the core of our Company ethos. Timber used to produce much of our product range is sourced from well managed and sustainable resources, under the close scrutiny of certified forestry control.









TONGUE AND GROOVE LATTICE TOP FENCE PANEL

Decorative alternative to straight top panel.

 $\label{eq:Astylish} A stylish panel, ideal for using with wooden H posts or the concrete slotted posts. Planed finish.$

Boarded – 16mm x 97mm

Framing -45mm $\times 70$ mm

SIZE (WxH)	REF
1.8m x 1.8m	1007
Extending Strips	9002



T&G ARCHED TOP PANEL

A stylish panel, ideal for privacy, security and this panel gives noise control. Clad in Tongue & Groove with a frameless gate to match.

 $Boarded-16mm \times 95mm$

 $Framing-70mm \, x \, 14mm$

SIZE (WxH)	REF
1.8m x 1.8m	1024
Extending Strips	9002



CHART SHIPLAP SINGLE SIDED FENCE PANEL

Cladding can be either vertical or horizontal.

Boarded – Shiplap Ex 16mm x 150mm

Structure – Ex 75mm x 50mm

Capping - Twice weathered

SIZE (WxH)	REF
1.83m x 915mm	1045S
1.83m x 1.22m	10445
1.83m x 1.52m	10435
1.83m x 1.83m	1042S



CHART SHIPLAP DOUBLE SIDED FENCE PANEL

Our unique design with Shiplap cladding on both sides. Panels can be clad either vertical or horizontal. This panel is also ideal as an acoustic barrier.

Boarded – Shiplap Ex 16mm x 150mm

Capping - Twice weathered

SIZE (WxH)	REF
1.83m x 915mm	1045
1.83m x 1.22m	1044
1.83m x 1.52m	1043
1.83m x 1.83m	1042



SQUARE HORIZONTAL FENCE PANEL

Hit and miss style Mortice and tenon joints. Framing – 44mm x 44mm.



EUROPEAN GRAVEL BOARDS

Ex 150mm x 50mm

For use with 1.8m european panels

LENGTH	REF
1.8m Planed	3004

SI	IZE (WxH)	REF
1.	8m x 1.2m	1016
1.	8m x 1.5m	1015
1.	8m x 1.8m	1014
9	00mm x 1.8m (GATE)	14166
E	xtending Strips	9002



ELITE CROSS TOP PANEL

SIZE (WxH)	REF
1.8m x 900mm	1017

Elegant decorative panel with many attractive qualities. An ideal panel for adding structure to your garden without completely cutting areas off from view.



HORIZONTAL LATTICE TOP FENCE PANEL

Hit and miss panel design for allowing wind to pass through mortice and tenon joints.

Framing – 44mm x 44mm.

SIZE (WxH)	REF
1.8m x 1.2m	1020
1.8m x 1.5m	1019A
1.8m x 1.8m	1019
Extending Strips	9002



OMEGA LATTICE TOP FENCE PANEL

If using 1.83m wide gravel boards with the European panels, extending strips will be needed to make these panels 1.83m wide.

SIZE (WxH)	REF
1.8m x 1.2m	1011
1.8m x 1.5m	1010
1.8m x 1.8m	1009
Extending Strips	9002



WOVEN PINE FENCE PANEL

This panel offers a unique style, allowing the wind to pass through. Planed finish. Framing – 45mm x 45mm

SIZE (WAII)	IVE:
1.8m x 1.5m	1013
1.8m x 1.8m	1012
Extending Strips	9002



SLATTED FENCE PANEL

The Slatted panel allows the wind to blow through them and can be hung either vertically or horizontally. They are suitable for use with either timber H posts or concrete slotted posts. Planed finish.

Framing – 45mm x 55mm

Slats – 45mm x 14mm

Slats – 40mm x 8mm

Gaps – 14mm between slats

SIZE (WxH)	REF
1.8m x 1.5m	1006
1.8m x 1.8m	1005
Extending Strips	9002

DO YOU NEED HELP PLANNING YOUR FENCING?

SPEAK TO THE CHART FENCING TEAM ON 01233 626 188



WANEY EDGE FENCE PANEL

A natural-styled traditional fully framed fence panel that looks great on both sides.

HEDGEHOG HIGHWAY



SIZE	REF
Hedgehog plaque to cover	3001H
space in gravel board	

SIZE (WxH)	REF
1.83m x 915mm	1004
1.83m x 1.22m	1003
1.83m x 1.52m	1002
1.83m x 1.83m	1001

Hedgehogs travel over 2 miles a night so need to be able to move about freely. Unfortunately lots of people do not realise they have hogs visiting their gardens. When old fencing is replaced they end up shutting them out. This means they are losing the places where they know they can find food, water and shelter which is leading to their decline. Chart Fencing are pleased to announce we will be supporting the Hedgehog population and working in association with Ashford Hedgehog Observation Group (AHOG) to share awareness and encourage our community to grow the Hedgehog Highways in our area. To find out more see our website for more details. Alternatively see what projects AHOG are doing on the social media: facebook.com/AshfordHedgehogObservationGroup



FEATHEREDGE FENCE PANEL

Heavy duty Featheredge fence panel. One of our strongest fence panels. A popular hard wearing design in panel form, which is manufactured by Chart Fencing.

Boards – 100mm x 12mm

SIZE (WxH)	REF
1.83m x 915mm	1036
1.83m x 1.22m	1035
1.83m x 1.52m	1034
1.83m x 1.65m	1033A
1.83m x 1.83m	1033

MATCHING GATES



SIMPLE FEATHEREDGE GARDEN GATE

Ledged & braced, width 900mm. Special sizes made to order. No capping included.

SIZE	REF
1200mm	14170V
1500mm	14171V
1800mm	14172V
Wall plate. 100mm x 47mm with slam plate & bolts	14174



CHART FEATHEREDGE GATE

Framed ledged & braced, width 900mm. Special sizes made to order. Finished with capping.

SIZE	REF
1238mm	14170C
1538mm	14171C
1838mm	14172C
Wall plate. 100mm x 47mm with slam plate & bolts	14174



MAIN **FEATURES**

- Made from coppiced hazel branches to encourage future growth
- · Decorative woven design
- · Eco-friendly
- Hardwearing
- · Easy to alter

HAZEL HURDLE

This eco-friendly horizontal hazel hurdle fencing is a natural product that can be used in a variety of ways around the garden. Create a boarder or screen, providing privacy or shade for outdoor seating and entertaining areas.

The horizontal hazel canes are woven together to form a strong build with a decorative design. Easy to cut, so you can modify it to your preferred height without it becoming unwoven.

Hazel fencing is coppiced, meaning it is cut from new growth, giving it superb flexibility and providing uniform thickened across each fence panel. Taking cuttings from new growth also encourages future growth making this a sustainable and environmentally friendly fencing alternative.

SIZE (WxH)	REF
1.8m x 1.8m	1037



WOVEN CHESTNUT FENCE PANEL

Attractive, easy to erect, permanent or temporary fencing. Our Chestnut woven panels are made locally. Hand-woven from sawn lathes which measure approximately 50mm - 70mm wide x 10mm deep. Lathes are fixed around cleft chestnut stakes.

SIZE (WxH)	REF
1.8m x 900mm	1224
1.8m x 1.2m	1225
1.8m x 1.5m	1226
1.8m x 1.8m	1227

WOVEN CHESTNUT GATE

Rustic sawn frame work with mortice and tenon joints. Clad in sawn lathes approximately 50 mm - 70 mm wide x 10 mm deep. To match the Woven Chestnut panels.

SIZE (WxH)	REF
1.2m x 900mm	14047
1.2m x 1.2m	14051
1.2m x 1.5m	14055
1.2m x 1.8m	14059





CHESTNUT PALE FENCING

Attractive, easy to erect, permanent or temporary fencing. Our Chestnut fencing is coppiced from local woodland. Chestnut fencing is manufactured by cleaving (hand splitting) chestnut into pales these are then wound together using galvanised wire.

Chestnut fencing requires stakes at 2 metre intervals with strut posts placed at changes of direction, run ends and at intervals of 50 meters. The fence is then strained to each post. Standard spacing between pales is 80-90mm. Chestnut Pale Fencing can be used as permanent boundary fence, shelter for established hedges and shrubs, wind disruption for drifting snow and sand, quick temporary fence and security.

HEIGHT	LENGTH	REF
600mm	10m x 2 line wire	1209
900mm	10m x 2 line wire	1217
1.0m	10m x 2 line wire	1218
1.2m	10m x 2 line wire	1219
1.0m	10m x 3 line wire	1206
1.2m	10m x 3 line wire	1220
1.5m	5m x 3 line wire	1222
1.8m	5m x 3 line wire	1223



Other sizes available on request







RUSTIC CHESTNUT PALISADE PANELS & GATES

Our Chestnut is coppiced from local woodland. Gates can be ordered in pairs or singles. Chestnut Palisade panels and morticed posts to match.



PANELS

SIZE (WxH)	REF
1.8m x 900mm	1229
1.8m x 1.2m	1228

CHESTNUT PALISADE POSTS

SIZE	REF
1.5m morticed twice	1231
1.8m morticed twice	1230

CHESTNUT PALISADE GATE

(inc. posts, hook & band hinges and auto latch)

SIZE (WxH)	REF
1.0m x 850mm	1232
1.0m x 1.15m	1233
1.0m x 1.45m	1234
1.5m x 850mm	1235
1.5m x 1.15m	1236



CHESTNUT CLEFT POST & RAIL

Our chestnut is coppiced from local woodland. Cleft Post & Rail makes a robust paddock fence, boundary fence or an impressive entrance fence. Maintenance free to give a long lasting fence. When calculating, allow posts to be at 1.8m apart for 2m rails and 2.7m apart for 2.9m rails as the cleft rails are fitted into cleft-morticed posts.

POSTS

LENGTH	DESCRIPTION	REF
2.0m	Cleft for 2 rails	1215
2.0m	Cleft for 3 rails	1216

RAILS

LENGTH	DESCRIPTION	REF
2.0m	Cleft Rail (Ended to fit mortice)	1201
2.9m	Cleft Rail (Ended to fit mortice)	1214

CLEFT 5 BAR FIELD GATE

These gates are designed to suit cleft post and rail fencing. Top rail and hinge/slam posts are rustic sawn while the diagonal bracing and intermediate rails are hand cleft. Height of gate - 1.2m.

LENGTH	REF
1.2m	14078A
1.5m	14078B
1.8m	14080A
2.1m	14080B
2.4m	14081A
3.0m	14081B
3.6m	14082A





MAIN FEATURES

- · Superior quality softwood
- Pressure treated to protect against insect infestation, fungal decay and rot
- Planed for a smooth finish
- Pales 70mm x 19mm
- Rails Ex 75mm x 50mm
- Gaps between pales 70mm
- Available as round topped or pointed topped
- For suggested fixing kit see page 58



DOUBLE SIDED PALISADE PICKET FENCE PANEL

This is a windbreak panel which allows the wind to blow through the paled slats. Shaped pales of $70\,\mathrm{mm}\,\mathrm{x}\,19\,\mathrm{mm}$ planed, tanalised timber are attached to the rails with a gap of approx $70\,\mathrm{mm}$ alternating on the other side, offering privacy and a windbreak. This gives you and your neighbours an identical view.

MADE TO ORDER

STYLE	SIZE(WxH)	REF
∩ Panel	1.8m x 900mm	1066
△ Panel	1.8m x 900mm	1067
∩ Gate	900mm x 900mm	14180DR
△ Gate	900mm x 900mm	14180DP
∩ Panel	1.8m x 1.2m	1064
△ Panel	1.8m x 1.2m	1065
∩ Gate	900mm x 1.2m	14197DR
△ Gate	900mm x 1.2m	14197DP







MAIN **FEATURES**

- · Superior quality softwood
- Pressure treated to protect against insect infestation, fungal decay and rot
- Planed for a smooth finish
- Pales 70mm x 19mm
- Rails Ex 75mm x 50mm
- · Gaps between pales 70mm
- · Available as round topped or pointed topped
- · Gates are ledged and braced
- · Special sizes available on request
- · Pedestrian gate fixing available on page 58



PALISADE PICKET FENCE PANEL




Our very popular Palisade fencing (also known as Picket fencing) available in a planed finish. This type of fencing is fast and easy to erect.

STYLE	SIZE(WxH)	REF
∩ Panel	1.8m x 900mm	1069
△ Panel	1.8m x 900mm	1069A
∩ Gate	900mm x 900mm	14178
△ Gate	900mm x 900mm	14178A
∩ Panel	1.8m x 1.2m	1068
△ Panel	1.8m x 1.2m	1068A
∩ Gate	900mm x 1.2m	14179
△Gate	900mm x 1.2m	14179A









CANT RAILS

Ex 75mm x 50mm

LENGTH	REF
1.8m	5017
2.4m	5018
3.0m	5019


TIMBER ARRIS RAILS - SCARFED

75mm x 75mm

LENGTH	REF
1.8m	5001
2.4m	5002
3.0m	5003

PLANED POINTED TOP POSTS (UC4)

95mm x 95mm



PLANED ROUNDED TOP POSTS (UC4)

95mm x	95mm		
LENGT	н		REF
1.35m	One Way roun	ıd	2031
1.8m	Four Way roui	nd	2032

PLANED TWICE MORTICED POSTS (UC4)

95mm x 95mm - Morticed to order

LENGTH	TOPS	REF
1.35m	One Way round	2031M
1.35m	Pointed	2027M
1.8m	Four Way round	2032M
1.8m	Pointed	2028M

PALISADE PALES

70mm x 19mm - Pales all in a planed finish

LENGTH	TOPS	REF
900mm	Rounded	6005
900mm	Pointed	6005A
1.2m	Rounded	6006
1.2m	Pointed	6006A



We can offer all the components required to assemble Featheredge fencing. This design is one of the most popular forms of fencing, as it is very strong secure and long lasting. This type of fencing is ideal on sloping ground, it is able to follow the contours of the ground removing the need to step the fence. We would recommend counter rails & capping. While it is not essential it does give extra strength and helps keep the rain off the tops of the pales.

FEATHEREDGE PALE QUANTITIES

- 1.8m wide bay = 25 featheredge pales
- 2.4m wide bay = 33 featheredge pales
- 3.0m wide bay = 40 featheredge pales

Are you a professional fencing contractor?



CALL ABOUT OUR SPECIAL TRADE ACCOUNT OFFERS & SPEAK TO THE CHART TRADE TEAM.



COUNTER RAIL

LENGTH	REF
3.0m x Ex 75mm x 50mm	5016

CAPPING RAIL (TWICE WEATHERED)

LENGTH	REF
3.0m x 68mm x 38mm	5013
1.83m x 46mm x 18mm	1822





MORTICED TIMBER POSTS

Sawn with three mortices per post. 100mm x 100mm

LENGTH	REF
1.5m	2014
1.8m	2015
2.1m	2016
2.4m	2017
2.7m	2018
3.6m	2020
2.4m x 125mm x 100mm	2019
2.7m x 125mm x 100mm	2030

FEATHEREDGE PALES

100mm x 12mm

LENGTH	REF
900mm	5004
1.05m	5005
1.2m	5006
1.35m	5007
1.5m	5008
1.65m	5009
1.8m	5010
2.1m	5012





TIMBER ARRIS RAILS-SCARFED

75mm x 75mm

LENGTH	REF
1.8m	5001
2.4m	5002
3.0m	5003

TIMBER GRAVEL BOARDS

150mm x 22mm

LENGTH	REF
1.83m	3001
2.4m	3002
3.0m	3003

CONCRETE POSTS & GRAVEL BOARDS









CONCRETE GRAVEL BOARDS LW (RECESSED)

SIZE (W X H X D)	REF
1.83m x 150mm x 50mm	4011
1.83m x 300mm x 50mm	4012

As with all concrete products, hairline cracks are to be expected

GRAVEL BOARD FOR MORTICED POST

SIZE (W X H X D)	REF
2400mm x 150mm x 50mm	4023
2885mm x 150mm x 50mm	4028

GRAVEL BOARD TWO PIN CLEAT

SIZE	REF
150mm	4049

CONCRETE REPAIR SPURS

SIZE (W X H X D)	REF
1.2m x 100mm x 100mm	4024

COACH BOLT WITH NUT & WASHER

PRODUCT	SIZE	REF
M10	220mm	4047

CONCRETE POSTS & GRAVEL BOARDS



CONCRETE SLOTTED POST MW

100mm x 100mm



CONCRETE SLOTTED CORNER POST LW

125mm x 125mm



LENGTH	REF
1.5m	4001
1.8m	4002
2.1m	4003
2.4m	4004
2.7m	4005
3.0m HD/LW	4006

MORTICED CONCRETE INTERMEDIATE POST



LENGTH	REF
1.8m	4007
2.4m	4009
2.7m	4010
3.0m HD/LW	4008

CONCRETE SLOTTED END POST MW

100mm x 100mm



LENGTH	REF
2.4m	4020
2.7m	4022



SOFTWOOD GATE POSTS

Four Way weathered top

POST SIZE (H X W X D)	REF
2.4m x 125mm x 125mm	2036
2.4m x 150mm x 150mm	2038
2.4m x 175mm x 175mm	2040
2.4m x 200mm x 200mm	2046
3.0m x 150mm x 150mm	2044



OAK GATE POSTS

Back weathered top

POST SIZE (H X W X D)	REF
2.4m x 125mm x 125mm	2035
2.4m x 150mm x 150mm	2037
2.4m x 175mm x 175mm	2039
2.4m x 200mm x 200mm	2047

SWEET CHESTNUT GATE POSTS

Four Way weathered top

POST SIZE (H X W X D)	REF
2.1m x 125mm x 125mm	2052
2.1m x 150mm x 150mm	2051
2.1m x 175mm x 175mm	2050
2.4m x 150mm x 150mm	2049
2.4m x 175mm x 175mm	2048

SWIFT CLAMP BOLT DOWN POST SUPPORT



POST SIZE (WxH)	REF
75mm x 75mm	9010
100mm x 100mm	9012

SWIFT CLAMP DRIVE IN POST SUPPORT

These supports are suitable for almost all ground conditions, but best in stone-free areas. Robust construction ensures they will drive into very hard ground with ease and the effective clamp system will hold the post securely in the socket.



POST SIZE (WxH)	LENGTH	REF
75mm x 75mm	600mm	9001
100mm x 100mm	750mm	9004

CONCRETE - IN POST SUPPORT

This support is designed for use where conditions prevent the use of the drive in post support, such as very stoney or loose ground or areas of hardstanding. The effective clamp system will hold the post securely in the socket.



POST SIZE (WxH)	REF
75mm x 75mm	9020
100mm x 100mm	9021





POST MIX CONCRETE

Suitable for securing all types of wooden, metal and concrete posts. The mix is a kiln dried, pre-blended, factory produced, quick setting concrete, which hardens in approximately 10 minutes after water addition, depending on ambient conditions. Recommended number of bags can vary depending on hole size. Fully waterproof bags. A $300\,\mathrm{mm}\,\mathrm{x}\,450\,\mathrm{mm}$ hole for a $100\,\mathrm{mm}\,\mathrm{x}\,100\,\mathrm{mm}$ post requires 2-3 bags of post mix concrete.



SIZE	REF
20 kg	1872

SQUARE TOP SAWN TIMBER POSTS

Size: 75mm x 75mm

LENGTH	REF
1.5m	2001
1.8m	2002
2.1m	2003
2.4m	2004
2.7m	2005

5120: 100111111 x 100111111	
LENGTH	REF
1.5m	2006
1.8m	2007
2.1m	2008
2.4m	2009
2.7m	2010
3.6m	2013A

Size: 100mm x 100mm

UC4 PLANED PINE POST

Size: $90mm \times 90mm$



LENGTH	STYLE	REF
1.35m	One Way Rounded	2031
1.8m	Four Way Rounded	2032
2.4m	Four Way Rounded	2029

RECTANGLE TOP SAWN TIMBER POST

LENGTH	SIZE	REF
2.4m	125mm x 100mm	2011
2.7m	125mm x 100mm	2023

PLANED & RIBBED SLOTTED TIMBER H POSTS

Size: 90mm x 90mm (Two Way)



LENGTH	REF
2.4m	2041



POST TOP CHAMFER

SIZE	REF
96mm use on 75mm Post	1901
120mm use on 100mm Post	1902





SIZE	REF
96mm use on 75mm Post	1903
120mm use on 100mm Post	1904

PYRAMID POST TOPPER



SIZE	REF
100mm use on 75mm Post	1907
126mm use on 100mm Post	1908
Complete with double ended screw	



FREE SHIPPING OPTIONS ACROSS KENT*

*MINIMUM SPEND APPLIES


POST TOP PEDESTAL WOODEN **BALL**



SIZE	REF
75mm complete with screw	1909
100mm complete with	1910
double ended screw	

^{*}Chamfer not included

ACORN POST TOP FINIAL



All post tops are UC4 treated









NAPOLEON DIAMOND TRELLIS

Framing – 45mm x 45mm Battens – 40mm x 8mm Hole Size – 70mm x 70mm

SIZE (WxH)	REF
1.8m w x 1.8m high	1310
(1.6m to the shoulder/1.8m to top centre)	



NAPOLEON TOP TRELLIS

Framing – 30mm x 30mm Battens – 20mm x 8mm

SIZE (WxH)	REF
1.83m x 410mm	1329
(300mm to the shoulder/410mm to top of	entre)



BOWED DIAMOND TRELLIS

Framing – 45mm x 45mm Battens – 20mm x 8mm Hole Size – 40mm x 40mm


SIZE (WxH)	REF
1.83m w x 1.8m high	1330
(1.6m to the shoulder/1.8m to top centre)	



BOWED TOP TRELLIS

Framing – 30mm x 30mm Battens – 20mm x 8mm

SIZE (WxH)	REF
1.83m x 410mm	1308
(300mm to the shoulder/410mm to top centre)	
1.83m x 560mm	1309
(450mm to the shoulder/560mm to top centre)	





DIAMOND TRELLIS

Elegant and stylish trellis panels.

SIZE (WxH)	REF
1.83m x 300mm	1301
1.83m x 600mm	1302
1.83m x 900mm	1303
1.83m x 1.2m	1304
1.83m x 1.5m	1305
1.83m x 1.8m	1306

PRIVACY DIAMOND TRELLIS

A stylish and decorative trellis to give extra privacy.

SIZE (WxH)	REF
1.83m x 300mm	1317
1.83m x 600mm	1318
1.83m x 900mm	1319
1.83m x 1.2m	1320
1.83m x 1.5m	1321
1.83m x 1.8m	1322

MAIN FEATURES

- · Superior quality softwood
- · Pressure treated to protect against insect infestation, fungal decay and rot
- Framing 30mm x 30mm
- Framing 1.8m trellis 45mm x 45mm
- Hole size 40mm x 40mm
- Battens 20mm x 8mm
- · Timber planed for a smooth finish
- · Framing with tenon joints on outer corners

MAIN FEATURES

- · Superior quality softwood
- · Pressure treated to protect against insect infestation, fungal decay and rot
- Framing 30mm x 35mm
- Framing 1.8m trellis 45mm x 45mm
- Hole size 20mm x 20mm
- Battens 20mm x 8mm
- Timber planed for a smooth finish
- Framing with tenon joints on outer corners

29






CHART HEAVY DUTY TRELLIS

SIZE (WxH)	REF
1.83m x 305mm	1311
1.83m x 610mm	1312
1.83m x 915mm	1313
1.83m x 1.22m	1314
1.83m x 1.52m	1315
1.83m x 1.83m	1316

CHART HD PRIVACY TRELLIS


SIZE (WxH)	REF
1.83m x 305mm	1323
1.83m x 610mm	1324
1.83m x 915mm	1325
1.83m x 1.22m	1326
1.83m x 1.52m	1327
1.83m x 1.83m	1328

MAIN FEATURES

- · Superior quality softwood
- Pressure treated to protect against insect infestation, fungal decay and rot
- · Chart HD hole size 100mm x 100mm
- Chart HD privacy hole size 50mm x 50mm
- Battens 38mm x 19mm
- Sawn finish
- · Finished with weather capping

CHART FAN TRELLIS

600mm x 1.83m (152mm at base)



1331



SIMPLE FEATHEREDGE **GARDEN GATE**

Ledged & braced, width 900mm. Special sizes made to order. Panels are on page 12. No capping included.

SIZE	REF
1200mm	14170V
1500mm	14171V
1800mm	14172V
Wall plate. 100mm x 47mm with slam plate & bolts	14174



CHART FEATHEREDGE GATE

Framed ledged & braced, width 900mm. Special sizes made to order. Matching panels available on page 12. Finished with capping.

SIZE	REF
1238mm	14170C
1538mm	14171C
1838mm	14172C
Wall plate. 100mm x 47mm with slam plate & bolts	14174



CHART SINGLE SIDED GATE

Ledged & braced, width 900mm. Special sizes made to order. Matching panels available on page 7.

SIZE	REF
938mm	14328
1238mm	14327
1538mm	14326
1838mm	14325

CHART DOUBLE SIDED GATE

SIZE	REF
938mm	14324
1238mm	14323
1538mm	14322
1838mm	14321



ARCHED HORIZONTAL GARDEN GATE

Finished in the popular hit and miss style, which allows the wind to pass through, giving less wind resistance. This gate works well with the Omega Lattice Top Panel.

SIZE	REF
W 900mm x H 1.8m	14168



SQUARE HORIZONTAL GARDEN GATE

This gate matches the Square Horizontal Panel. Boards are planed with a ribbed effect on both sides.

SIZE	REF
W 900mm x H 1.8m	14166



ARCHED LATTICE TOP GARDEN GATE

Finished in the popular hit and miss style, which allows the wind to pass through, giving less wind resistance. This gate works well with the Omega Lattice Top Panel.

SIZE	REF
W 900mm x H 1.8m	14164



SQUARE LATTICE TOP GARDEN GATE

Finished in the popular hit and miss style, which allows the wind to pass through, giving less wind resistance. This gate works well with the Horizontal Lattice Top Panels.

SIZE	REF
W 900mm x H 1.8m	14167



SAWN PALISADE GATE

Framed ledged & braced straight topped. Width: 900mm.

HEIGHT	REF
900mm	14329
1200mm	14330
1500mm	14331
1830mm	14332



TONGUE AND GROOVE LATTICE TOP GARDEN GATE

T&G Lattice Top Gate. Cladded with Tongue and Groove, finished with a lattice top. Standard width is 900mm.

SIZE	REF
W 900mm x H 1.8m	14104



ARCHED TONGUE AND GROOVE GARDEN GATE

T&G Curved Top Garden Gate. Cladded with Tongue and Groove. Standard width is 900mm.

SIZE	REF
W 900mm x H 1.8m	14092



REGENCY GARDEN GATE

A strong, quality, traditional garden gate. Construction: Mortice and tenon joints.

SIZE	REF
W 900mm x H 900mm	14149



CHART PALISADE PICKET GATE - POINTED TOP

SIZE	REF
W 900mm x H 900mm	14178A
W 900mm x H 1.2m	14179A



CHART PALISADE PICKET GATE - ROUND TOP


SIZE	REF
W 900mm x H 900mm	14178
W 900mm x H 1.2m	14179





MAIN FEATURES

- Pressure treated to protect against insect infestation, fungal decay and rot
- Fully framed ledged & braced
- Framing Ex 100mm x 50mm
- Cladded in featheredge 100mm x 12mm
- Finished with capping
- Gates can be made to bespoke sizes
- Panels to match are on page 19
- · Ironmongery not included



FEATHEREDGE DRIVEWAY GATES

Our heavy duty Featheredge gates are manufactured by Chart Fencing

	TOTAL WIDTH OF A PAIR OF GATES		
HEIGHT	2.4m	3.0m	3.6m
1238mm	14261	14262	14263
1538mm	14264	14265	14266
1838mm	14267	14268	14269

See full details on website



CHART RIMLOCK	LENGTH	REF
Double-Locking	50mm	1660
Double-Locking Bolt	70mm	1661
Handle	200mm	1655

PRODUCT	REF
Adjustable Bands & Hook on Plate Hinges	
600mm (Pair)	1609
900mm (Pair)	1610

All galvanised.





YEOMAN ENTRANCE GATES

This popular design, with its extending curved hanging style and long diagonal brace, makes an attractive entrance as a single gate or can be paired with a smaller gate.

All in a planed softwood finish, pressure treated timber.

Height of gate - 1.2m - Left or Right handed



- Gate posts on page 25
- Ironmongery not included

SIZE	REF
900mm	14036
1.2m	14037
1.5m	14038
1.8m	14039
2.1m	14040
2.4m	14041
2.7m	14042
3.0m	14043
3.3m	14044
3.6m	14045



FIVE BAR FIELD GATE

These gates are suitable for driveways, fields, garden entrances or farms. Double-cross bracing gives the utility gate its distinctive diamond shape at the centre and makes it exceptionally strong. This traditional design incorporates mortice and tenon joints at each end of the top rail and bolts at all crossings. Constructed from redwood timber with stainless steel fixings. All in a planed softwood finish, pressure treated timber.

Height of gate - 1.2m - Left or Right Handed



- Gate posts on page 25
- Ironmongery not included



SIZE	REF
900mm	14001A
1.2m	14002A
1.5m	14003A
1.8m	14004A
2.1m	14005A
2.4m	14006A
2.7m	14007A
3.0m	14008A
3.3m	14009A
3.6m	14010A



METAL GATE POSTS

HANGING POSTS - 2M LENGTH

DIAMETER	REF
88.9mm	2215
114.3mm	2216

SLOTTED SLAM POST - 2M LENGTH

DIAMETER	REF
88.9mm	2217
114.3mm	2218

D-LATCH POST AUTO LATCH - 2M LENGTH

DIAMETER	REF
88.9mm	2219
114.3mm	2220



THROWOVER LOOPS

For holding a pair of galvanised gates together.

DIAMETER	REF
350mm Medium Duty	2221
860mm Med Duty (Lockable)	2222



DROP-DOWN BOLT

Used when a pair of gates needs one to be fixed. Galvanised

DIAMETER	REF
450mm	1632



METAL FIELD GATES

National Field Gate with seven bars, all finished in a heavy duty galvanised box bracing. Spring-loaded sliding bolt or D Loop available. Ironmongery not included.

SIZE	REF
915mm	2201
1.220m	2202
1.525m	2203
1.830m	2204
2.135m	2205
2.440m	2206
2.475m	2207

SIZE	REF
3.050m	2208
3.356m	2209
3.660m	2210
3.965m	2211
4.270m	2212
4.575m	2213
4.880m	2214



ADJUSTABLE GATE EYES

Galvanised with two nuts.

SIZE	REF
150mm x 20mm	1618

UC4 FENCING POSTS

Protecting your livestock

We stock and supply a highly popular range of Stock fencing for your animals. Chart Fencing assures the highest quality throughout the range of stock fencing offered.

We also stock a variety of UC4 treated full round stakes, struts and straining posts which are compatible with all of the stock fencing materials.



HALF ROUND STAKES

HEIGHT	LENGTH	REF
1.8m	100mm Machined UC4	1203

ROUND STRAINING POSTS

125mm machined



ROUND POSTS

85mm machined



LENGTH	REF
2.4m - UC4	1208

LENGIN	KEF
1.8m - UC4	1207

MAIN FEATURES

- Dried Redwood insist on UC4 Timber
- Timber is dried to a moisture content of less than 28%
- Selected Redwood is used and pressure treated in accordance with European regulations
- Ideal in ground posts to give a durable long lasting fence
- · Service life of 15 years


USE CLASS SUMMARY

- 1: Internal, dry eg upper floor joists
- 2: Internal, risk of getting wet eg tile battens
- 3.1: Outdoors, coated above ground eq window frames
- 3.2: Outdoors, uncoated, above ground eg fence rails
- $4: Direct \ soil \ or \ fresh \ water \ contact$
- eg fence posts

CLASSIC HORSE FENCING

Classic Horse fence uses the same high quality Hi-Tensile Plus wire as the Premium. A cost effective alternative to the Premium fencing.

Manufactured from Hi-Tensile Plus and heavily galvanised for long life, its close spaced wires create the optimum-sized net. In addition, the spring-like qualities of Hi-Tensile Plus allow the fence to flex under pressure and withstand animal impact without loss of strength.



ž.	4		
	1	-	
	CA	Marie.	No.
		Will the	1
	Total Control	4	
A Property			

- ROLL SIZE
 PRODUCT
 REF

 50m
 XHT12-110-7.5
 2104

 50m
 XHT13-125-7.5
 2105
- A cost-effective alternative to Premium horse fencing
- · Available in two heights
- Hi-Tensile hinge joint

MILD STEEL

In addition to our comprehensive range of Hi-Tensile Plus products, Chart Fencing offers high quality mild steel fencing. With the latest technology to ensure the mild steel products we supply are among the strongest and longest-lasting on the market. Light mild steel for temporary fencing and heavy mild steel for special requirements are also available.



See our website for latest prices. Prices subject to availability.

ROLL SIZE	PRODUCT	REF
50m	C8/80/15	2101

- Heavily galvanised to BS EN 10244 Class A
- Compliant with most grantaided fencing schemes
- Knot type: hinge joint

RABBIT NETTING

Delivers an effective and low-cost solution for controlling rabbits and preventing the damage and economic loss they can cause. It is also perfectly suitable for use in poultry runs, as a crop guard or for temporary fencing – a truly versatile and indispensable product.

- Supplied in two heights to suit your application
- Can be buried for optimum protection
- Heavily galvanised to BS EN 10244 Class A
- Optimum mesh size 31mm
- Ideal rabbit-control product



ROLL SIZE	HEIGHT	MESH	WIRE	REF
Budget 50m	1050mm	31mm	19 g	2111
Budget 50m	1200mm	31mm	19g	2113

POULTRY NETTING

Chart Fencing's poultry fencing fulfills very specific requirements. It keeps chickens in and prevents them from burrowing under the netting whilst effectively deterring predators. Importantly, it achieves this while remaining cost-effective. Manufactured from 1mm galvanised wire. It can be used in conjunction with an off-set electric wire.

- Hexagonal wire netting
- Optimum wire spacing for bird safety and welfare
- Durable and long lasting
- Netting mesh size 50mm
- Heavily galvanised to BS EN 10244 Class A



See our website for latest prices. Prices subject to availability. For all other netting, contact us for details.

ROLL SIZE	HEIGHT	MESH	WIRE	REF
Budget 50m	1800mm	50mm	19g	2116















BARBED WIRE

Barbed wire provides vital protection to a fence by defending it against downward compression by cattle or other heavy animals. Two lines running 50mm and 150mm above the fence provide optimum level of protection.

- Heavily galvanised to BS EN 10244 Class A
- An extremely versatile product suitable for a variety of applications
- Choose from Hi-Tensile Plus Titan
- Hi Tensile Plus Standard
- Mild Steel
- Hi-Tensile Plus barbed wire is produced using a reverse-twist method for unparalleled levels of safety

Prices subject to availability

ROLL	DIAMETER	STYLE	REF
200m	2.0mm	Hi Tensile	2118
200m	2.5mm	Mild Steel	2120



PLAIN WIRE

Used for supporting strained wire netting, controlling stock (in conjunction with droppers as complete stock fencing) or to extend the height of a fence. Coiled wire is a useful and cost-effective product which suits a variety of applications. Coiled Wire is available in a choice of convenient specifications, both in Hi-Tensile Plus and Mild Steel. Heavily galvanised to BS EN 10244 Class A.

Applications, Electric Fence, Fence Topping Vine and Plant Support.

Prices subject to availability

COIL SIZE	WIRE DIAMETER	WIRE GAUGE	STYLE	REF
651m	2.5mm	12.5 SWG	High Tensile	2115

Other sizes available on request.



STANDARD POST & RAIL

Our popular standard post & rail fencing can either be supplied as machine finished. The advantage of using this style of fencing is good visibility through the fence, and this robust traditional design doubles as an attractive barrier that works well along most curves. Wire stock fencing or rabbit netting can be added to make the fence animal proof.



Our posts are HC4 treated.

POSTS - HALF ROUND

LENGTH	SIZE	REF
1.8m	100mm Machined - HC4	1203

RAILS - HALF ROUND

LENGTH	SIZE	REF
3.6m	100mm Machined	1213



STURDY POST & RAIL

Sturdy post and rail fencing is mainly used to keep animals in or out of an area. Most fencing is installed at approximately 1.2m high, this gives a good 900mm in the ground for a secure post.

When installing, we would advise that posts be concreted. Sturdy Post & Rail can be supplied either for nailing direct to the post or the posts can be morticed. When nailing the rails to the posts, we recommend a 100mm nail. All our posts are pressure treated for a long maintenance-free life.

POSTS

LENGTH	SIZE	DESCRIPTION	REF
2.1m	125mm x 75mm	Non-Mortice	1112
2.1m	125mm x 75mm	Three-Mortice	1113

RAILS

LENGTH	SIZE	REF
3.6m	100mm x 38mm	1116



STURDY POST & RAIL GATE

Made to complement post & rail fencing.

SIZE	REF
1.2m x 900mm	1117



MAIN FEATURES

- · Superior quality softwood
- Pressure treated to protect against insect infestation, fungal decay and rot
- Planed for smooth finish
- · Rails supplied as notched or unnotched
- · Slotted posts are UC4

PERGOLA

Perfect for creating beautiful walkways.

Although equally attractive standing alone, pergolas can be used for growing vines and other climbers to create an amazing display or a scented entrance to an area of the garden or a building.

SIZE	REF
Slotted Posts 2.7m	7004
Pergola Rail 3.6m	7007





CHART SEATED ARBOUR

PRODUCT	REF
Chart Seated Arbour	7012

MEASUREMENTS (APPROX)

Overall height - 2.33m Overall depth - 699mm

Width - 1.47m

Width of seated area - 1.41m

MAIN FEATURES

- Pressure treated to protect against insect infestation, fungal decay and rot
- Planed finish
- Roof Cladding Featheredge, Shiplap or Felt
- Sides Diamond or Square Trellis





Garden Storage

Chart log and bin stores are built to last, heavy-weight and made from pressure treated timber.

Made in our own workshop by hand, they include little design touches from larger Chart family buildings.



LOG STORE

With signature Chart cross bracing this log store is a robust storage solution. The timber will silver over time giving a timeless country cottage look.

SIZE	REF
380mm wide x 1625/1375 high	7006
x 800mm deep	



BIN STORE

Hide unsightly bins in a sturdy double wooden bin store. Each side has an opening door and lid for ease of use. Made from pressure treated timber for longevity.



A Chart shed is created for you and your garden.

CHOOSE FROM MODERN OR CLASSIC DESIGNS.

Built to last and styled to impress, the Chart shed collection allows you to create your perfect shed.

- Single or double door
- Weatherboard or shiplap cladding
- · Felt, Onduline or cedar tile roofing
- Sheds ranging from 6' x 4' to 12' x 8'

Tailor your own shed to your exact specification with options such as insulation, extra windows or boarding for a workshop.

WE DELIVER AND INSTALL YOUR SHED FOR YOU ACROSS THE SOUTH EAST OF THE UK*.

A firm level base is required and we can offer advice and guidance on solutions for this.

Explore for yourself on our website and choose a pre-specified shed or build your perfect shed using our shed builder.

Practical Robust Sheds

If you are looking for a solid shed, up to the job that will last choosing either the Village or Gardener's shed is a good option. They are a great balance of price vs specification, making sure you get the Chart solidity and build quality without some of the optional extras of our premium range sheds. Simple no-compromise value for money.

SPEC FOR VILLAGE AND GARDENER'S SHEDS

- Sizes from 6' x 4' to 12' x 8'
- 3" x 2" (68mm x 38mm) pressure treated framing

- 4" x 2" (89mm x 38mm) purlins with OSB boarding and felt roof
- Pressure treated shiplap cladding
- Breathable membrane (TF200 to British Standards)

- OSB flooring
- · Hasp and staple for padlock
- · Catch to hold door open
- Village shed with apex roof Gardener's shed with pent (low) roof



Images may show sheds with optional upgrades





Premium Sheds

Chart premium sheds are a step up from the norm. The build is extra strong, we include $5" \times 2"$ purlins increased size pressure treated cladding T & G flooring and a throw lock with chrome handle. Choose from double or single doors and shiplap or weatherboard cladding as well as a pent or apex roof which can be covered with either felt, Onduline or cedar shingles.

Images may show sheds with optional upgrades

SPEC FOR PREMIUM SHEDS

- Sizes from 6'x 4' to 12' x 8'
- 3" x 2" (68mm x 38mm) pressure treated framing
- 5" x 2" (114mm x 38mm) purlins with OSB boarding
- Extra thick pressure treated shiplap cladding
- Breathable membrane (TF200 to British Standards)
- · T&Gflooring
- Exterior chrome handle with locking throw lock
- Options for apex or pent roof
- Options for single or double doors
- Options for felt, Onduline or cedar shingle roof



Bespoke Sheds

Why not go a step further and design your own shed, choose the number of windows, to fully board the interior, opt for insulation, single or double doors add in guttering and choose a felt, Onduline or cedar roofing.

With our online shed builder you simply start by selecting either an apex or pent roof design and the build you shed from there, with clear and open pricing about each optional extra.





Potting sheds

A gardener's dream, the Chart potting shed is available in two sizes. With large windows, one of which opens this is an ideal environment for early-season germination and delicate plants as well as room for tool storage.

Images may show sheds with optional upgrades



OS BOARDING

OSB - a type of engineered wood similar to particle board. OSB is formed by adding adhesives and then compressing layers of wood strands (flakes) in specific orientations.

SIZE	REF
11mm x 8' x 4'	1828
15mm x 8' x 4'	1828a
18mm x 8' x 4'	1829



RED FACED HARDWOOD PLY

SIZE	REF
5.5mm x 8' x 4'	1839
12mm x 8' x 4'	1841
18mm x 8' x 4'	1842



PRESSURE TREATED WEATHERBOARD CLADDING

SIZE	REF
3.6mm x 150mm x 14mm (finished size)	9052
3.6mm x 175mm x 19mm (finished size)	9050



SHIPLAP CLADDING

Shiplap – is the most commonly used product for cladding timber buildings. The name comes from the profile of each board which partially overlaps the board next to it creating a channel that gives shadow line effects. This also provides excellent weather protection and allows for dimensional movement.

SIZE	REF
3.6m x Ex 16mm x 150mm (12mm finished size)	9039
3.6m x Ex 19mm x 125mm (16mm finished size)	9025



FELT TILES

SIZE (WXH)	REF
Per pack each tile 1m x 340mm - 21 tiles in a pack	9053



GREEN MINERAL FELT

Bituminous fibre-based roofing felt with a protective fine mineral finish. Used on sheds to achieve a waterproof and durable finish.

SIZE	TYPE OF FELT	REF
1m x 10m	Mineral Felt	1861
1m x 10m	Green Heavy Duty Felt	1861a



ONDULINE ROOFING SHEETS

Onduline is an extremely tough, lightweight, corrugated roofing and wall cladding material Available in black, green, red, brown and clear sheets.

SIZE	REF
Black Onduline Sheets - 2m x 900mm	9040
Black Ridge 2m x 485mm	9042
Green/Red/Brown Onduline Sheets - 2m x 900mm	9044
Clear 2m x 900mm	9041
Nails - Pack of 400	9043
Coloured Ridge Tiles 1m x 485mm	9048



ONDUVILLA ROOFING

Onduvilla is an unique roofing solution with a very aesthetic traditional clay tile look. Onduvilla tile is eco-friendly as it is made from recycled materials. It forms a desirable, durable and lightweight roof covering.

SIZE	REF
1070mm x 400mm - Pack of 7	9046
Ridge Caps 1m x 485mm	9048
Nails (Pack of 400 coloured)	9047



BLACK BREATHABLE LINING

Breathable Membrane lining - our water resistant but vapour permeable lining. Typically this is used within external wall and roof constructions where the external cladding may not be completely water-tight or moisture resistant.

SIZE	REF
2.7m wide sold per linear metre	8008



GUTTERING

Ideal for customers who want to collect the runoff into water butts.

SIZE	REF
Corner Angle 90°	9029
Down Pipe 2.5m	9028
External Stop End	9034
Fascia Bracket Guttering	9032
Guttering 4m	9027
Offset Guttering	9035
Down Pipe Clip	9036
Running Outlet	9030
Stop End	9037
Union	9033



BIRDS MOUTH BOUNDARY FENCING

LENGTH	REF
V Posts 1.2m x 100mm x 100mm	2045
Rails 2.4m x 75mm x 75mm	2055
Bird Mouth Post Straps - Shoe Type	1657



BATTEN

SIZE	REF
1.8m x 38mm x19mm	1823



CLS TIMBER

CLS - otherwise known as Canadian Lumber Standard. Pressure treated and planed all round.

SIZE	REF
2.4m x Ex 75mm x 50mm (finished size 64mm x 38mm)	1508
2.4m x Ex 100mm x 50mm (finished size 88mm x 38mm)	1510
3.6m x Ex 75mm x 50mm (finished size 64mm x 38mm)	1514
3.6m x Ex 100mm x 50mm (finished size 88mm x 38mm)	1510 a



SOFTWOOD SLEEPERS

Softwood sleepers are strong, durable and their natural appearance is pleasing to the eye, giving a fresh, crisp look. They are pressure treated with environmentally friendly Tanalith 'E' giving the timber a long maintenance free life. This makes them perfect for all garden uses, raised beds, retaining walls, edgings and other landscaping features. Reclaimed sleepers can leak out tar and creosote from their dipped treatment making them unsuitable for use around children, pets and vegetable patches. Chart Fencing's softwood sleepers are the safe alternative for all your gardening needs.

LENGTH	REF
2.4m x 200mm x 100mm	1211

MAIN FEATURES

- · Pressure treated softwood
- · Natural appearance
- · Square edged
- · Light and easy to work with
- · Child and pet friendly





DECKING

Decking has become very popular over the last few years. It is an extension of the living space in your home; you can turn an area into a relaxing and enjoyable space to entertain friends in. Here at Chart Fencing, we stock all the components to turn that area into a useable space. All our decking is grooved to aid the dispersal of water.



SIZE	REF
4.8m x 25mm x 115mm (finished size)	1501
4.8m x 34mm x 145mm (finished size)	1502

(Length may vary, see website)




SIZE	REF
2.4m x Ex 75mm x 50mm	
(finished size 64mm x 38mm)	1508
2.4m x Ex 100mm x 50mm	
(finished size 38mm x 89mm)	1510











NEWEL POSTS

UC4 size 83mm x 83mm

	LENGTH	REF
Pyramid	1200mm	1505
Colonial	1250mm	1503



Size 41mm x 41mm

	LENGTH	REF
Colonial	895mm	1507
Chamfered	895mm	1506

HAND RAIL

Universal top and bottom rail

SIZE	REF
2.4m x 66mm x 30mm	1509

CONCRETE DECK POST

The Deck Post is the durable precast solution for your decking requirements. Whether you plan to create an elevated decking area, or simply to level out irregular ground conditions.



SIZE	REF
900mm x 100mm x 100mm	4027

GATEMATE

PRODUCT	REF
Pedestrian Gate Fixing Kit	1601

KIT INCLUDES:

1 pair 350mm Tee Hinges.

1 x medium auto latch.

All galvanised.



KIT INCLUDES:

 $1\,pair\,450mm\,Tee\,Hinges.$

 $1 \times 150 \text{mm}$ Ring latch.

1 x 150mm Brenton Padbolt.

All galvanised.

PRODUCT	REF
Side Gate Fixing Kit - Suffolk Latch	1603

KIT INCLUDES:

1 pair 450mm Tee Hinges.

1 x Heavy Suffolk latch.

1 x 150mm Brenton Padbolt.

All galvanised.

PRODUCT	REF
Curved Rail Gate Hinges	
Right handed, 300mm	1613
Left handed, 300mm	1614

All galvanised.







PRODUCT	REF
Adjustable Hinge Set	
600mm	1605

For use with all field and driveway gates. Includes top band, adjustable gate eye and heel clips, hook to bolt, hook to drive, complete with fixings.

All galvanised.

PRODUCT		REF
Braced Adjusta	ble Band and Hook Hinges	
350mm		1615

Ideal for use with our square horizontal garden gate. Use where a Tee hinge is too big for the bracing of the gate.



PRODUCT	REF
Adjustable Bands & Hook on Plate Hinges	
450mm (Pair)	1616
600mm (Pair)	1609
900mm (Pair)	1610

All galvanised.

PRODUCT	REF
Strong Tee Hinges	
300mm Galvanised (pair)	1650
350mm Galvanised (pair)	1651
450mm Galvanised (pair)	1611




600mm Galvanised (pair)

1612

PRODUCT	REF
Self-Locking Gate Catches	1620

Complete with striker.

180mm x 30mm x 125mm



Galvanised.

19mm

PRODUCT	REF
Adjustable Gate Eye	1618

Galvanised.

150mm x 20mm

With 2 nuts.

PRODUCT	REF
Spring Fastener Set	1619

600mm, Galvanised.

Use on all field and driveway gates

Set includes: Spring fastener, catch, keep and fixings.



PRODUCT	REF
Gravity Catch	1638

Galvanised.

305mm

Catches the gate to hold it open.









PRODUCT	REF
Sprung Slide Bolt for Metal Gate	1621

300mm

PRODUCT	REF
Hunting Type Locking Gate Catch	1622

Galvanised.

425mm

PRODUCT	REF
Throwover Loops	1623

Galvanised.

350mm To use with 75mm gate.

PRODUCT	REF
Rail Brackets	1626

Galvanised.

50mm

PRODUCT	REF
Double Leg Striker	1662

Galvanised.

To use with self-locking gate catches.

PRODUCT	REF
Auto Gate Catch	1627

Galvanised.

Medium.

PRODUCT	REF
Ring Gate Latch	1628

Galvanised.

150mm















PRODUCT	REF
Suffolk Latch	1629

200mm x 43mm

PRODUCT	REF
Gate Return Spring	1630

Zinc plated.

200mm

PRODUCT	REF
Garage Door Drop-Down Bolt	1632

Galvanised.

450mm

PRODUCT	REF
Monkey Tail Bolt	1652

Galvanised.

450mm

PRODUCT	REF
Brenton Pad Bolt	1633

Galvanised.

150mm

PRODUCT	REF
Hasp and Staple	1639

Zinc plated.

150mm

PRODUCT	REF
Cast Cabin Hook	1636

Galvanised.

100mm













PRODUCT	REF
Handle	1641

150mm

PRODUCT	REF
Arris Rail Repair Bracket	1642

Galvanised.

To suit 75mm arris rail

PRODUCT	REF
Arris Rail Mortice Bracket	1643

Galvanised.

To suit 75mm arris rail.

To use with concrete morticed posts.

PRODUCT	REF
Easy Use Panel Bracket	
Pre - Galvanised 32mm.	1645
Pre - Galvanised 47mm.	1646
Pre - Galvanised 52mm.	1647

PRODUCT	REF
Balustrade Brackets	1648

Electro galvanised.

40mm x 40mm x 30mm.

PRODUCT	REF
Concrete Gravel Board Bracket	
Galvanised 150mm x 50mm	4050
Galvanised 230mm x 50mm	4041







ROUND WIRE NAILS

Galvanised. 500GM Pack

SIZE	REF
40mm x 2.36mm	1801
50mm x 2.65mm	1802
65mm x 2.65mm	1803
75mm x 3.75mm	1804
100mm x 4.5mm	1805



STAPLES

Galvanised, 500GM Pack

SIZE	REF
30mm x 3.55mm	1817
40mm x 4.00mm	1818



SCREWS - BZP NO.10

LENGTH	QTY	REF
25mm No.7	Box of 200	1830
38mm	Box of 200	1831
50mm	Box of 200	1832
75mm	Box of 100	1834
100mm	Box of 100	1833



COACH SCREWS - M10

LENGTH	SIZE	REF
M10	75mm	1840
M10	130mm	1843
M10	150mm	1844



Sold individually

WASHERS GALVANISED

LENGTH	QTY		REF
M10	10	approx 2mm thick	1866
M12	10	approx 2mm thick	1867



DECKING SCREWS NO8

QTY	LENGTH	REF
200	50mm	1846
200	60mm	1847
200	75mm	1852
1100	Tub 60mm	1850



TIMBER DRIVE SCREWS

QTY	LENGTH	REF
50	7mm x 70mm	1855
50	7mm x 90mm	1853
50	7mm x 150mm	1854
50	7mm x 180mm	1856



COACH BOLT & NUT

SIZE	QTY	REF
M10	75mm	1857
M10	90mm	1858
M10	110mm	1859
M10	220mm	4047



Sold individually

STUDDING

SIZE	QTY	REF
M10	1m length	1870



RESIN FOR ANCHORING STUDDING

PRODUCT	REF
1 x 380ml tube & nozzle	1868



DIRECTIONS FROM NORTH (M20)

- At Junction 9, take the A20 exit to Ashford / A28
- At the roundabout, take the 3rd exit onto A20 Fougeres Way, heading towards Tenterden / A28
- 3. At the roundabout, take the 3rd exit onto A28 Tenterden
- 4. Continue to follow A28
- 5. At the roundabout, take the 1st exit on to B2229 / Brookfield Road
- 6. Turn first left in to Leacon Road
- 7. At the next roundabout, take the 3rd exit
- 8. Turn right into Dencora Way

DIRECTIONS FROM SOUTH (A28)

- 1. Head north on A28
- 2. Take 1st exit on roundabout signed Ashford/M20
- 3. At the roundabout, take the 3rd exit onto B2229 / Brookfield Road
- 4. Turn first left in to Leacon Road
- 5. At the next roundabout, take the 3rd exit
- 6. Turn right into Dencora Way



TELEPHONE: 01233 626188

EMAIL: ENQUIRIES@CHARTFENCING.CO.UK

Chart Fencing, Chart House, Dencora Way, Ashford, Kent TN23 4FH

Opening Hours

Monday - Friday 07:30 - 17:00 Saturday 08:00 - 12:00







Free Delivery to all TN23 and TN24 postcodes.

SUBJECT TO MINIMUM
ORDER VALUE OF £250 INC VAT

FOR ALL OTHER AREAS CALL FOR DELIVERY COST.

Ordering from Chart Fencing is easy. You can order by calling our order line, or you can select and pay for products securely at our online store

CHARTFENCING.CO.UK 01233 626188

Once you have ordered, you may collect your products from our Ashford depot, or we can offer a speedy delivery service.

Products offered for sale may differ slightly from those described or illustrated in this brochure or online due to later production changes in specifications, components, or place of manufacture. The contents of this brochure and our website are therefore not to be treated as exact representations of the current availability of products as described, or as to products actually offered for sale. Chart Fencing Ltd. reserve the right to make changes at any time without notice, to prices, colours, materials, specifications and products, and also to discontinue products. All trademarks recognised and acknowledged.


We are happy to accept returns if goods are faulty or damaged; goods can be returned for a full credit or replacement. If the products are unsuitable for resale, we reserve the right to refuse a refund on the item. Any items returned are subject to a handling charge and additional delivery charge if required.

Your right to return goods excludes bespoke items which have been made to your specification unless found to be damaged on delivery to you.

FENCING & SHED SALES

01233 626188 ENQUIRIES@CHARTFENCING.CO.UK WWW.CHARTFENCING.CO.UK











www.chartstables.co.uk enquiries@chartstables.co.uk +44 (0)1233 611123



www.chartgarages.co.uk enquiries@chartgarages.co.uk +44 (0)1233 229898



www.chartgardenbuildings.co.uk enquiries@chartgardenbuildings.co.uk +44 (0)1233 229898



www.chartfencing.co.uk enquiries@chartfencing.co.uk +44 (0)1233 626188